PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL A CATION PUBLISHED UNDER THE PATEN

DOPERATION TREATY (PCT)

(51) International Patent Classification 5:

C09B 61/00, A23L 1/27

(11) International Publication Number:

WO 92/01754

A1

(43) International Publication Date:

6 February 1992 (06.02.92)

(21) International Application Number:

PCT/GB91/01182

(22) International Filing Date:

17 July 1991 (17.07.91)

(30) Priority data:

9016012.8

20 July 1990 (20.07.90)

GB '

(71) Applicant (for CA GB only): UNILEVER PLC [GB/GB]; Unilever House, Blackfriars, London EC4P 4BQ (GB).

(71) Applicant (for all designated States except CA GB US): UN-ILEVER NV [NL/NL]; Burgemeester 's Jacobplein 1, NL-Rotterdam (NL).

(72) Inventor; and

(75) Inventor/Applicant (for US only): MAWSON, Rodney [GB/GB]; Fairlawn, 135 Huntingdon Road, Thrapston, Northants NN14 4NG (GB).

(74) Agent: BUTLER, David, John; Patent Division, Unilever plc, Unilever House, Blackfriars, London EC4P 4BQ (GB).

(81) Designated States: AT (European patent), BE (European patent), CA, CH (European patent), DE (European patent), DK (European patent), ES (European patent), FR (European patent), GB (European patent), GR (European patent), IT (European patent), JP, LU (European patent), NL (European patent), NO, SE (European patent), US.

Published

With international search report.

(54) Title: PIGMENTS

(57) Abstract

A novel strain of *Adonis aestivalis* having an average of 18 - 22 petals per flower head and containing an average of 200 - 350 µg of astaxanthin pigment per flower head is cultivated, harvested and extracted to provide a source of natural astaxanthin. The extracted astaxanthin, or the harvested astaxanthin-containing plant material, can be used for example in salmonid fish diets to promote correct flesh pigmentation of the fish.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	•				
AT	Austria	ES	Spain	MG	Madagascar
UA	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi .
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Begin	GR	Greece	NO	Norway
8R	Brazil	HD	Hungary	PL	Poland
CA	Canada	IT	ltnly	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic	SE	Sweden
CH	Switzerland		of Korea	SN	Senegal
CI	Côte d'Ivoire	KR	Republic of Korca	su+	Soviet Union
CM	Cameroon	LI	Liechtenstein	TD	Chad
cs	Czechoslovakia	LK	Sri Lanka	TG	Togo
DE	Germany	W	Luxembourg	US	United States of America
DK	Denmark	MC	Monaco		

⁺ It is not yet known for which States of the former Soviet Union any designation of the Soviet Union has effect.

- 1 -

PIGMENTS

This invention relates to carotenoid pigments extractable from natural sources.

There is a need for a cost-effective natural source of astaxanthin, which is the carotenoid pigment that contributes the characteristic pink or red colour to the flesh of wild salmon. Salmonid fish are extensively farmed today, and there is a commercial need to produce such fish possessing a nature-identical flesh colour.

Astaxanthin occurs in various marine animals, such as crustacea, but its extraction from such sources is uneconomic. It is also possible to synthesise astaxanthin, but this is expensive, and moreover the use of such synthetic pigment does not convey the connotation of 'natural' that many consumers regard as desirable.

Astaxanthin occurs in certain plants, especially certain species belonging to the genus <u>Adonis</u>. One such species is <u>Adonis aestivalis</u>, where it occurs predominantly in the petals of the bright red flowers. However, the reported wild strains of <u>Adonis aestivalis</u>

possess only flower heads with very few petals, and the proportion of astaxanthin pigment relative to the total mass of the plant is too small for it to be cultivated and extracted on any sensible commercial scale.

By the invention we have discovered a novel true-breeding strain of <u>Adonis aestivalis</u> having substantially heavier flower heads, and in particular having a substantially greater number of petals. The proportion of astaxanthin pigment in the plant is sufficiently high to make cultivation of the plant for the purposes of extracting the pigment commercially attractive.

The invention provides plants of the genus <u>Adonis</u> having petals containing astaxanthin, the average number of petals per flower head being at least 10, more particularly at least 16.

The invention also provides plants of the genus Adonis having petals containing astaxanthin, wherein the amount of astaxanthin per flower head is at least $100\mu g$, more particularly at least $150\mu g$, and yet more particularly at least $200\mu g$.

The invention includes the cultivation of such plants for the purpose of obtaining astaxanthin, the extraction of astaxanthin from such plants, and the astaxanthin so obtained.

Extraction of the astaxanthin is preferably conducted using an organic solvent, and more preferably using a mixed solvent comprising a water-miscible organic solvent (such as ethanol) and a non-water-missible organic solvent (such as hexane).

Preferably, the harvested plant material is initially extracted with water or aqueous media to remove water soluble compounds such as glycosides.

The invention particularly provides a process for obtaining astaxanthin, wherein plants of the species Adonis aestivalis having an average flower head petal number of at least 16 are cultivated, harvested, and the astaxanthin is extracted from the harvested flower heads or petals thereof.

An important embodiment of the invention is a newly-discovered strain of Adonis aestivalis of which a seed sample has been deposited on 18 July 1990 with the National Collection of Industrial and Marine Bacteria Limited, Aberdeen, under Accession No. NCIMB 40309, in accordance with the provisions of the Budapest Treaty. The invention encompasses plants of the species Adonis aestivalis having the essential characteristics of this deposited strain. Plants of this deposited strain typically have an average of 18-22 petals per flower head, and the average amount of astaxanthin per flower head is 200-350µg.

The invention also provides a process for obtaining astaxanthin, wherein the astaxanthin is extracted from the petals of plants having the essential characteristics of the deposited strain.

The invention particularly provides an oral composition for administration to fish, comprising such extracted astaxanthin, and a method of pigmenting the flesh of fish, especially salmonid fish, involving the oral administration to the fish of such a composition.

Preferably, the composition comprises the astaxanthin mixed with edible feed material.

Alternatively, the astaxanthin can be in encapsulated form.

Alternatively, pigmentation of the flesh of fish can be achieved by feeding astaxanthin-containing portions of the plant to the fish. Preferably, the portion comprises the flower petals and more preferably, consists entirely of such material. If desired, the plant material can be extracted with water or aqueous media in order to remove water-soluble compounds such as glycosides which may be toxic to fish or other animals, without removing significant quantities of the required astaxanthin.

In the pigmentation of farmed fish, the astaxanthin obtained by the invention can be administered orally to the fish in any manner analogous to the techniques already used for astaxanthin derived from conventional sources. Normally the pigment is included in a composition, such as a pelleted compound feedstuff, that forms all or part of the diet on which the fish are The pigment is soluble in oil, and can be incorporated in the diet in this form, either as free oil or as encapsulated oil. Alternatively, the petals or other plant material containing the astaxanthin can be mixed (eg. in dried, ground form) with conventional fish feed ingredients. If desired, the plant material can be partially extracted with aqueous media (to remove water-soluble components such as glycosides) prior to being added to the feed. As a further alternative, the pigment can be added to the feed in the form of an organic solution, eg. a solution obtained during extraction of the astaxanthin from the plant material, if the organic solvent used is not toxic to the fish in any

amount that the fish are likely to ingest via the completed feedstuff.

When the astaxanthin is administered to fish via their feedstuff, the composition of the feedstuff need not be unconventional. The feedstuff formulation can contain any of the normal fish feed components, such as fish meal and/or other protein, oil such as fish oil, cereals, vitamins, minerals, preservatives and medicaments, in the various proportions that are normally used.

The extracted astaxanthin, or astaxanthin-containing portions of the plant, can also be used as a colouring agent in human foodstuffs, and also in poultry diets to enhance the colour of egg yolks.

Specific embodiments of the invention will now be described in detail, by way of example only.

Novel strain of Adonis aestivalis

The essential characteristics of the newly-discovered strain are:

Chromosome No. 2n = 32

Erect, annual, leaves alternative, pinnately dissected into linear or filoform segments. Flowers bright red, actinomorphic, hypogynous, hermaphrodite, solitary and terminal on stem and branches.

Petals less than 15mm long, up to 2 times length of sepals. Sepals 5-8 in number. Petals 18-22 in number.

Values for these parameters, and for the astaxanthin level per flower head, can be taken from analysis of the first fully-open flower heads from 1000 plants.

Ripe achenes 3-5mm, tooth on dorsal surface distant from the beak. Achenes having a transverse ridge passing around middle of achene. Achenes also having a dorsal hump a distance from the beak.

Cultivation

The plant can be grown under a wide range of temperature conditions. Germination requires a degree of alternating temperatures of 10-20°C. Mature flowering plants are obtained four months after sowing at field densities up to 150 plants/m² in a variety of soil conditions; flowering in the summer months (temperate climate). The plant prefers dry, well drained conditions. Seed can be harvested by combine, and flowers by hand.

Extraction of pigment

Pigment can be extracted by solvent extraction, eg. into mixed solvents such as ethanol/hexane, and further purified by partitioning a mixed solvent with water followed by column chromatography. The final extract, thus purified, is rich with respect to carotenoids, and predominent is astaxanthin, present mainly as a racemic mixture in the form of mono- and diesters, generally of palmitic acid.

Typical starting material

Frozen block of flower heads, stored at -20°C in the dark, or dried petals/flowerheads, finely ground, also stored at low temperature in the dark.

Primary Extraction

Mix with 10 vols hexane/ethanol (50:50 v/v), allow dispersion, and homogenise for 10 minutes in dark and cool conditions using shear blender; or mill with a shear blender in ethanol, then add hexane for safety reasons.

Leave overnight in dark and cool conditions.

Filter through filter (eg. muslin) on vibrating sieve, and wash plug with 50:50 ethanol:hexane. Retain original filtered liquid and washings as primary extract. This primary extract contains water-soluble, ethanol-soluble and hexane-soluble material including pigments and glycoside.

Secondary Extraction

Add 1 part water to 2.5 parts primary extract, transfer to phase separator and remove bottom layer of ethanol. Wash upper hexane layer with 1:1 ethanol/water mixture allow to separate and discard lower layer.

Transfer to steam jacketed vacuum evaporator (with cyclone) and remove hexane at 45°C for 15-30 minutes until a sludge is obtained. Wash with ethanol and evaporate, wash with hexane and evaporate (again at low temperatures, under vacuum or under nitrogen) to dryness. This yields a first concentrate of approximately 5% total pigment (80% astaxanthin) in dry matter.

Take up in hexane and apply to silica column (1:1 or 2:1 extract to silica). Wash column with hexane in dark and cool conditions, and discard washings. Elute with 2.5% ethanol in hexane until a red-orange band appears. Collect the red-orange washings until the colour changes to orange-green.

Dry eluent as before, take up in hexane or oil (fish oil, vegetable oil). This yields a second concentrate of approximately 20% total pigment containing approximately 80% astaxanthin.

Typical Salmon Grower Diet

	% inclusion by w	<u>reight</u>
Fishmeal	75.0	
Vegetable protein	5.0	
Cereal	7.8	
Fish Oil	11.0	
Minerals/Vitamins	1.0	
Antioxidants/preservatives	0.2	•

Pigment incorporation

Astaxanthin pigment from an Adonis strain of the invention can be added at levels ranging for example from 1-100 ppm to the above type of diet in a variety of ways:

- a) as extracted astaxanthin carried in a fish oil base, optionally containing antioxidants.
- b) as extracted astaxanthin carried as a free-flowing powder in wheatflour or any finely ground foodstuff for salmon.

- c) as for (b) but encapsulated in alginate, gelatin or xanthan gum, eg. by pan granulation or spray cooling.
- d) as extracted astaxanthin carried in an encapsulated lipid, eg. casein-protected lipid.

Pigmentation

The above typical salmon grower formulation containing 50-100 ppm of astaxanthin extracted from the deposited Adonis strain of the invention and carried in one of the product forms described above, is fed as pellets to fish of 300 g liveweight plus for a minimum period of 3 months. Typical values for pigmentation efficiency, compared with commercially-available synthetic astaxanthin, are at least about 80% of synthetic.

The skilled reader will readily appreciate that the foregoing extraction procedures, diet formulations, feeding regimes and other details may be subject to considerable variation without departing from the spirit of the invention.

CLAIMS

- 1. A process for the production of astaxanthin wherein the astaxanthin is extracted from plants of the genus Adonis having an average of at least 10 petals per flower head.
- 2. A process according to claim 1, wherein the plants have an average of at least 16 petals per flower head.
- 3. A process for the production of astaxanthin wherein the astaxanthin is extracted from plants of the species Adonis aestivalis having an average of 18 to 22 petals per flower head.
- 4. A process for the production of astaxanthin wherein the astaxanthin is extracted from plants of the strain NCIMB 40309.
- 5. A process according to any one of the preceding claims, involving cultivation of the plants, harvesting of the flower heads and extraction of the astaxanthin from the harvested flower heads or petals thereof.
- 6. A process according to any one of the preceding claims, wherein the extraction of the astaxanthin is conducted using an organic solvent.
- 7. A process according to claim 6 wherein the extraction is conducted using a mixed solvent comprising a water-miscible organic solvent and a non-water-missible organic solvent.
- 8. A process according to claim 6 or claim 7, wherein the harvested plant material is initially extracted with

water or aqueous media to remove water soluble compounds such as glycosides.

- 9. Astaxanthin produced by a process according to any one of the preceding claims.
- 10. Plants of the genus <u>Adonis</u> having an average of at least 10 petals per flower head, and containing per flower head at least 100 μ g of astaxanthin.
- 11. Plants of the genus <u>Adonis</u> having an average of at least 16 petals per flower head, and containing per flower head an average of at least 100 μ g of astaxanthin.
- 12. Plants of the species Adonis aestivalis having an average of 18 to 22 petals per flower head, and an average amount of astaxanthin per flower head of 200 to 350 μ g.
- 13. Plants of strain NCIMB 40309.
- 14. A composition for use in the pigmentation of fish, comprising astaxanthin produced by a process according to any one of claims 1 to 8 mixed with edible feed material.
- 15. A composition for use in the pigmentation of fish, comprising astaxanthin produced by a process according to any one of claims 1 to 8 in encapsulated form.
- 16. A process for the pigmentation of fish, involving oral administration of a composition according to claim 14 or claim 15.
- 17. A feedstuff for fish incorporating harvested material from plants according to any one of claims 10 to 13.

- 18. Use of plants according to any one of claims 10 to 13 as a source of "natural" astaxanthin.
- 19. The cultivation of plants according to any one of claims 10 to 13 for the purpose of astaxanthin production.
- 20. Harvested flower heads or petals of plants according to any one of claims 10 to 13.

			International Application No	PCT/GB 91/01182
I. CLASSIF	TCATION OF SUBJE	CT MATTER (if several classification		01/00 31/01/02
According Int.Cl		Claudion (IPC) or to both National B 61/00 A		
II. FIELDS	SEARCHED			
		Minimum Docu	umentation Searched?	
Classificat	ion System		Classification Symbols	
Int.Cl	1.5	C 09 B	A 23 L	
			ner than Minimum Documentation its are Included in the Fields Searched ⁸	
W POCT	MEN'TE CONSIDERE	D TO BE RELEVANT 9		
Category °		current, 11 with indication, where appro	nuriste of the relevant naccages 1:	Relevant to Claim No.13
Category	Challed of Be	Cancel, with materials, where appro	printer, or the reterant passages	. Aderail to Class (10.
X	4, 14 Renstr (3S,3'		lowers of Adonis	1-9,18, 19
X	A. Sey the fl	, vol. 184, 28 Novemb bold et al.: "Occuren ower petals of Adonis 715, see pages 1714-1	annua L.", pages	1-9,18, 19
A	1990,	005765 (E. MIKALSEN) see page 1, lines 1-1 claim 1		1-9,14- 19
				·
"A" doc cor "E" ear fili "L" doc whi cits "O" do oth "P" doc	esidered to be of partici- dier document but publing date cament which may thro- ich is cited to establish action or other special re- cument referring to an ner means	teral state of the art which is not star relevance (shed on or after the international or doubts on priority claim(s) or the publication date of another asson (as specified) oral disclosure, use, exhibition or to the international filing date but	"I" later document published after the or priority date and not in conflict cited to understand the principle or invention "X" document of particular relevance: to cannot be considered novel or cannot be considered novel or cannot be considered to involve an document of particular relevance: to cannot be considered to involve an document is combined with one or ments, such combination being obtain the art. "&" document member of the same part.	with the application but or theory underlying the the claimed invention not be considered to the claimed invention inventive step when the more other such docu- wrons to a person skilled

IV. CERTIFICATION

Date of the Actual Completion of the International Search

18-09-1991

Date of Mailing of this International Search Report,

3 0. 10. 91

International Searching Authority

EUROPEAN PATENT OFFICE

Signature of Authorized Office:

poguer 4 rous

FURTHER INFORMATION CONTINUED FROM THE SECOND SHEET	·
·	•
V. X OBSERVATION WHERE CERTAIN CLAIMS WERE FOUND UNSEARCHABLE 1	
This international search report has not been established in respect of certain claims under Article 17(2)(a) for the follow	ndo Marcos.
TY1 10-13·20	
Authority, namely:	rad to be searched by this
Please see PCT-RULE 39.1(ii):	
Plant or animal varieties or essentially biological processes	for the
production of plants or animals, other than microbiological production	ocesses
and the products of such processes.	
2. Lair numbers because they relate to parts of the International with the prescribed requirements to such an extent that no meaningful International search can be carried out, s	
•	,
•	
·	•
· ·	.**
3. Claim numbers because they are dependent claims and are no	et drafted in accordance with
the second and third sentences of PCT Rule 6.4(a).	
VI. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING 2	
This international Searching Authority found multiple inventions in this international application as follows:	/ /
 As all required additional search fees were timely paid by the applicant, this international search report covers of the international application 	ali searchable claims
2. As only some of the required additional search fees were timely paid by the applicant, this international search those claims of the International application for which fees were paid, specifically claims:	report covers only-
,	•
 No required additional search fees were timely paid by the applicant. Consequently, this international search rep the invention first mentioned in the claims; it is covered by claim numbers: 	port is restricted to
	T. 14
4. As all searchable claims could be searched without effort justifying air additional fee, the international Searchin	g Authority did not :
imits payment of any additional fee. Remark on Protest	
	. :-
The additional search fees were accompanied by applicant's protest.	
No protest accompanied the payment of additional search fees.	
REST AVAILA	RIE COPY
υςι Δναιι Αι	BLL COLL 1

DEDI WAVIN

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

GB 9101182 SA 49468

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 23/10/91

The European Patent Office is in no way lighle for these payring which the patent of the patent

the European Patent Office is in no way liable for these particulars which are merely given for the purpose	of information.	

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
WO-A- 9005765	31-05-90	: AU-A- EP-A-	4637789 0444103	

·				
		·		
	-			
	·			